

Question # 1 of 10 ( Start time: 10:50:53 PM )

Commonly we have two types of custom command bindings named as \_\_\_\_\_.

Select correct option:

|                                  |                                    |
|----------------------------------|------------------------------------|
| <input type="radio"/>            | StartBindings and StopBindings     |
| <input type="radio"/>            | EventBindings and InstanceBindings |
| <input type="radio"/>            | ButtonBindings and TextboxBindings |
| <input checked="" type="radio"/> | KeyBindings and MouseBindings      |

Question # 2 of 10 ( Start time: 10:51:43 PM )

If we insert some objects in a single cell in Grid panel, then these objects are placed on \_\_\_\_\_.

Select correct option:

|                                  |                            |
|----------------------------------|----------------------------|
| <input checked="" type="radio"/> | One on Top of the other    |
| <input type="radio"/>            | One after the other        |
| <input type="radio"/>            | One on Bottom of the other |
| <input type="radio"/>            | One on Side of the other   |

Quiz Start Time: 10:50 PM

Question # 3 of 10 ( Start time: 10:52:22 PM )

A \_\_\_\_\_ receives keyboard events only if it has keyboard focus.

Select correct option:

Mouse

Keyboard Controls

Keyboard

UIElement

[Click here to](#)

Question # 4 of 10 ( Start time: 10:52:52 PM )

Multi touch events are categorized into \_\_\_\_\_ and \_\_\_\_\_.

Select correct option:

- |                                  |  |
|----------------------------------|--|
| <input type="radio"/>            | Touch events, touchup events                         |
| <input type="radio"/>            | Touchdown events, touchup events                     |
| <input type="radio"/>            | Advanced touch events, low-level manipulation events |
| <input checked="" type="radio"/> | Basic touch events, higher-level manipulation events |

Question # 5 of 10 ( Start time: 10:53:12 PM )

Which of the following is an example of tunnel key event?

Select correct option:

|                                  |                     |
|----------------------------------|---------------------|
| <input type="radio"/>            | Key up              |
| <input type="radio"/>            | Preview key entered |
| <input checked="" type="radio"/> | Preview key down    |
| <input type="radio"/>            | Key down            |

Question # 6 of 10 ( Start time: 10:53:37 PM )

Which of the followings are keyboard events?

Select correct option:

|                                  |                           |
|----------------------------------|---------------------------|
| <input type="radio"/>            | Key entered, key exit     |
| <input type="radio"/>            | Key strike, key release   |
| <input type="radio"/>            | Key pressed, key released |
| <input checked="" type="radio"/> | Key down, key up          |

In multi touch events, when multiple fingers are touching simultaneously, these events get raised for each finger

Select correct option:

Independently

Completely

Partially

Dependently

Question # 8 of 10 ( Start time: 10:54:49 PM )

Which function is used to create cancel button event of dialog box

\_\_\_\_\_.

Select correct option:

OnInitCancel()



OnClickCancel()



CancelClick()



OnCancel()



AIRBORNE



Question # 9 of 10 ( Start time: 10:55:08 PM )

\_\_\_\_\_ provides the logic behind the "Back" and "Forward" buttons.

Select correct option:

|                                  |                   |
|----------------------------------|-------------------|
| <input type="radio"/>            | Hyperlink         |
| <input type="radio"/>            | Navigation Window |
| <input type="radio"/>            | Iframe            |
| <input checked="" type="radio"/> | Journal           |

Question # 10 of 10 ( Start time: 10:55:26 PM )

Which one of the following can be used to set dependency property values?

Select correct option:

- |                                  |                    |
|----------------------------------|--------------------|
| <input type="radio"/>            | Temporary resource |
| <input type="radio"/>            | Permanent resource |
| <input checked="" type="radio"/> | Dynamic resource   |
| <input type="radio"/>            | Static resource    |